FY95 End of Fiscal Year Letter (01 Oct 1994 - 30 Sep 1995)

ONR CONTRACT INFORMATION

Contract Title: High Thermal Conductivity Carbon/Carbon Composites

Performing Organization: Clemson University


Principal Investigator: Dr. Dan D. Edie; (803) 656-3056;

fax: (803) 656-0784

Contract Number: N00014-92-J-4104 (CU REF:05-5002)

R & T Project Number: C/C 9200---01

ONR Scientific Officer: Steven G. Fishman



REPORT DOCUMENTATION PAGE

FORM APPROVED OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, including suggestions for reducing the burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	2. REPORT DATE 3. REPORT TYPE AND DATES COVERED		
	30 Sep 95	End of Fisca	1 Year Letter	
4. TITLE AND SUBTITLE OF REPORT High Thermal Conductivity	5. FUNDING NUMBERS			
6. AUTHOR(S)			N00014-92-J-4104	
Dr. Dan D. Edie	-			
7. PERFORMING ORGANIZATION NAME Clemson University Box 340909, 123 Earle Hall Chemical Engineering Clemson, SC 29634-0909			8. PERFORMING ORGANIZATION REPORT NUMBER: 05-5002	
9. SPONSORING/MONITORING AGENCY Office of Naval Research Code 1513:ETF Ballston Tower One 800 North Quincy Street Arlington, VA 22217-5660 11. SUPPLEMENTARY NOTES:		§)	10. SPONSORING/MONITORING AGENCY REPORT NUMBER:	
12a. DISTRIBUTION AVAILABILITY STA	TEMENT		12b. DISTRIBUTION CODE	
Unlimited	· · · · · · · · · · · · · · · · · · ·		visi siemiserien dest	
composite with a mes developed which can pressure-carbonization composite properties b pitch-based, and an ex	project was to develop ophase pitch-based matrix, produce a flexible pre-im technique and heat treats increasing the composite perimental high thermal composite	A low-cost, continuous pregnated pitch-based to ment of the mesophase pedensity. Three different onductivity mesophase pitch	Il conductivity carbon/carbon powder coating process was woreg. A combination of a poitch was utilized to enhance fibers, T300 PAN-based, P55 ch-based, were incorporated as hitized T300/AR-120 and the	

14. SUBJECT TERMS

15. NUMBER OF PAGES:
8

16. PRICE CODE

P55/AR-120 composites was 80.5 and 135.5 W/m-K, respectively. The composites reinforced with the experimental ribbon fibers exhibited 3-D anisotropy, with a thermal conductivity, transverse to the fibers, of 213.5 W/m-K, higher than that parallel to the fibers, 145 W/m-K. These results indicate that fiber shape can affect matrix properties in carbon/carbon composites. Using finite element methods, a model was developed to predict the effect of specific material variables, such as fiber fraction, fiber structure, matrix structure, fiber/matrix interface, and void fraction, on the thermal conductivity of the composite.

17. SECURITY CLASSIFICATION OF REPORT: Unclassified

18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified

19.SECURITY CLASSIFICATION OF ABSTRACT Unclassified

20. LIMITATION OF ABSTRACT

A. Research Goals

The objective of the project was to develop a low-cost, high thermal conductivity carbon/carbon composite with a mesophase pitch-based matrix. In addition, it was proposed that the project employ a pressure-carbonization technique in order to increase the composite density to approximately 1.5 g/cc, resulting in an increase in both the mechanical and thermal properties of the composites.

B. Significant Results

A low-cost, continuous powder coating process has been developed which can produce a flexible pre-impregnated pitch-based towpreg. The process was used to produce towpreg from Mitsubishi AR mesophase pitch powder and three different carbon fibers: T300 PAN-based fiber, P55 pitch-based fiber, and an experimental high thermal conductivity pitch-based ribbon fiber. The pitch powder was deposited on individual fibers, rather than on bundles of fibers. As a result, the pitch-based towpreg was very flexible and easy to handle. This flexibility will allow the forming of multidimensional pre-impregnated preforms which can be simply hot pressed into composites.

The thermal conductivity (parallel to the fibers) of the graphitized T300/AR-120 and P55/AR-120 composites was 80.5 and 135.5 W/m-K, respectively. These results, along with x-ray analysis, indicated a significant development of preferred crystalline order (parallel to fibers) upon graphitization at 2400°C. The composites reinforced with ribbon fibers exhibited 3-D anisotropy, with a thermal conductivity (transverse to the fibers) of 213.5 W/m-K, higher than that parallel to the fibers (145 W/m-K). These results indicated that fiber shape can affect matrix properties in carbon/carbon composites.

A finite element model was developed to predict the thermal conductivity of carbon/carbon composites, both parallel and transverse to the fibers. This model accounts not only for the anisotropic nature of the fibers and matrix, but also for random porosity and different types of fiber/matrix bonding (Figure 1). The model was able to accurately predict the average thermal conductivity of the composites produced in this study. Figure 2 shows graphically the agreement between predicted and measured thermal conductivity for one set of composites. Other composites showed similar agreement. The model successfully predicted the thermal conductivity parallel to the fiber axis for P55 and ribbon fiber composites. The model also predicted the thermal conductivity perpendicular to the fibers for P55 pitch-based fiber composites, but significantly underestimated the conductivity of ribbon fiber composites.




Figure 1. Exaggerated illustration of intramatrix cracking and fiber matrix debonding both parallel and perpendicular to the fiber axis in a ribbon fiber composite.




Figure 2. Plot of predicted versus measured thermal conductivity, parallel to the fibers, of individual T300/AR-120 composites heat treated to 2400°C.

C. Future Research

- 1. Ribbon fiber and heat-treated mesophase pitch should be used to produce high thermal conductivity carbon/carbon composites.
- 2. The towpreg fabrication method can be used to widen the processing window to include alternative pitches, which may form better composites in less time.
- 3. The finite element model produced for this study can be used to study the effect of specific material characteristics, such as fiber texture and fiber/matrix bonding, on the composite thermal conductivity.

D. List of Publications/Reports/Presentations

1. Papers Published in Refereed Journals

"Flexible Towpreg for the Fabrication of High Thermal Conductivity Composites," J. W. Klett and D. D. Edie, Carbon, in press.

2. Non-Refereed Publications and Published Technical Reports "Modeling the Effects of Porosity and Fiber Structure on the Thermal Conductivit of Carbon/Carbon Composites Using the Finite Element Method," J. W. Klett, D. D. Edie, and V. J. Ervin, <u>Carbon '94</u>, Proceedings of the 6th International Conference on Carbon, Granada, Spain, July 3-8, 1994, pp. 688-689.

"Flexible Towpreg for Carbon/Carbon Composites," J. W. Klett and D. D. Edie, Proceedings of the 21st Biennial Conference on Carbon, Buffalo, NY, June 13-18, 1993, pp. 48-49.

3. Presentations

a. Invited

"High Thermal Conductivity Carbon/Carbon Composites," American Carbon Society Workshop.

b. Contributed
 (See item 2 above.)

4. Books (and sections thereof)

E. LIST OF HONORS/AWARDS

Name of Person Receiving Award Recipient's <u>Institution</u>

Name, Sponsor and Purpose of Award

Dan D. Edie

Clemson University

Elected to the Executive Council of the American

Carbon Society

F. Participants

James W. Klett, completed Ph.D. in Chemical Engineering and graduated from Clemson in December, 1994.

Richard M. Dayrit, minority student currently enrolled as an M. S. student in Chemical Engineering.

Both of the above are U. S. citizens

G. Other Sponsored Research During FY 95

This Grant

"High Thermal Conductivity Carbon/Carbon Composites," Office of Naval Research, \$95,100, 0% of time, (1992-1995) \$95,100

Other Grants

"High Thermal Conductivity Fibers," Sponsored by the Great Lakes Composite Consortium, \$220,000/yr, 30% of time, 1/1/92 to 12/31/95.

"High Thermal Conductivity Fibers from PBO," Sponsored by ONR, 0% of time, \$31,000/yr, 7/31/94 to 8/1/97.

"Production of Carbon Monofilament-Phase II," Sponsored by MSNW, \$150,000/yr, 5% of time, 3/3/95 to 5/3/96.

"Supercritical Extraction for High Thermal Conductivity Fibers," Sponsored by DEPSCOR, \$100,000/yr, 15% of time, 9/1/94 to 8/31/97.

"Engineering Fibers and the Micromechanics of Their Composites," Sponsored by NSF, \$95,000/yr, 17% of time, 7/1/91 to 6/31/94.

H. SUMMARY OF FY95 PUBLICATIONS/PATENTS/PRESENTATIONS/HONORS/PARTICIPANTS (Number Only)

	•			ONR	non ONR
a.	Number of Papers abut not yet public		eferred Journal	·	1
b.	Number of Papers : Journals:	Published in Re	efereed		
c.	Number of Books of yet Published:	r Chapters Subr	nitted but not		· · · · · · · · · · · · · · · · · · ·
d.	Number of Books of	r Chapters Publ	Lished:		<u> </u>
e.	Number of Printed Non-Referred Paper	_	orts &		2
f.	Number of Patents	Filed:			·
g.	Number of Patents	Granted:	•		
h.	Number of Invited Presentations at Workshops or Prof. Society Meetings:				_1
i.	Number of Contributed Presentations at Workshops or Prof. Society Meetings:				2
j.	Honors/Awards/Prizes for Contract/Grant Employees: (selected list attached)				1
k.	Number of Graduate Students and Post-Docs Supported at least 25% this year on contract grant:				2
	G:	rad Students:	TOTAL Female		2
	P	ost Doc:	Minority TOTAL Female Minority		1

Enclosure (4)

l.	Number	of	Female	or	Minority PIs or CO-PIs	*
			·	. •	New Female	
					Continuing Female	
					New Minority	
					Continuing Minority	